

**SMEG NUOVA EASYLINE GLASSWASHER MOD. SPG415 40x40 BASKET - WITH BUILT-IN DISPENSERS AND AUTOMATIC WATER SOFTENER**

Smeg Easyline Professional Glasswasher



# SOLUZIONI FOODSERVICE

The Easyline Series undercounter glasswasher is designed to offer professional washing performance in a compact size, fitting perfectly under any counter in bars, pubs, restaurants and clubs.

Thanks to the integrated water softener and patented 5-stage filtration system, it ensures consistently clean, sparkling, and streak-free glasses, even with intensive use during service. The molded tank and fully double-walled construction improve the machine's sturdiness, reduce noise, and maintain a constant temperature throughout the wash cycle.

This glasswasher is designed to simplify daily work: technologies such as HTR for temperature control and Soft-Start for glass protection ensure impeccable results and maximum reliability.

## CHARACTERISTICS:

- Compact undercounter installation, ideal for bars and venues with limited space.
- 400 × 400 mm basket, perfect for quickly washing glasses and small dishes.
- Integrated softener for effective water treatment and always sparkling glasses.
- Patented 5-stage filtration system that improves washing quality and keeps water cleaner for longer.
- Moulded tub with integrated basket guides, designed to facilitate cleaning and ensure greater hygiene.
- Full double wall for thermal insulation and noise reduction.
- HTR system that maintains constant temperatures and pressures for effective and uniform rinsing.
- Soft-Start system that manages the start of the wash pump to protect delicate glasses and crystal.
- Drain pump with partial water exchange, for better hygiene and washing quality.

## PERFORMANCES:

The machine uses only 2.3 litres of water per cycle, ensuring efficiency and reduced consumption without compromising the quality of the result.

The large 315 mm useful washing light allows you to wash glasses up to 30 cm high, making it suitable even for large goblets and glasses.

## TECHNICAL DATA:

- Basket dimensions 400 × 400 mm
- Water consumption per cycle 2.3 L
- Washing temperature 60°C
- Rinse temperature 71 – 83 °C
- Minimum supply water temperature 5°C
- Max. water supply temperature 60°C
- Max. water hardness 60°F – 34°dH
- Water pressure 100 – 1000 kPa
- Detergent flow rate 1.5 L/h
- Rinse aid flow rate 0.4 L/h
- Useful washing light 315 mm

# SOLUZIONI FOODSERVICE

- Max height of glasses 300 mm
- Max plate diameter 300 mm
- Depth with door open 930 mm
- Noise level 55 dBA