


SIRMAN LEONARDO 350 VERTICAL SLICER --CE PROFESSIONAL-- Single phase 220V

FLAT ALUMINUM SLICER, blade diam. cm.35 - FIXED SHARPENER



vedi prodotto online

CODICE: **SWL350BS-MN**
MARCA: **SIRMAN**




	SWL350BS-MN
A (mm)	max 350 - min 14
B (mm)	max 350 - min 0,50
C (mm)	max 20
D (mm)	max 270
E (mm)	max 200/250
F (mm)	max 350
G (mm)	max 100
H (mm)	max 100
I (mm)	max 100
J (mm)	max 100
K (mm)	max 100
L (mm)	max 100
M (mm)	max 100
N (mm)	max 100
O (mm)	max 100
P (mm)	max 100
Q (mm)	max 100
R (mm)	max 100
S (mm)	max 100
T (mm)	max 100
U (mm)	max 100
V (mm)	max 100
W (mm)	max 100
Peso netto	kg 10

CHARACTERISTICS:

- Rounded line without visible edges and screws.
- Slicer that can be placed on a 70 cm worktop.
- Low edge blade to minimize friction with the product.
- Sliding pin, chrome-plated, ground and lapped.
- Excellent sliding of the carriage thanks to the lapped cast iron bushings.
- Shock absorbing trolley with vulcanised rubber bumpers.
- Stainless steel slice deflector.
- Watertight seal system on pulley.
- Blade pulley without central hole to prevent infiltration and facilitate cleaning.
- Progressive sail movement of the first 3 mm of opening, guarantees greater precision in cutting regulation of thin slices.
- Practical disassembly of the blade cover.
- All small parts in stainless steel.
- Sharpener with lower protection tray.
- Easily removable stainless steel grease guard.
- Facilitated working height to help the operator.
- Standard blade extractor.
- 70 mm distance between the blade and the head.
- Plastic knobs.
- Rubber feet.
- IP 67 plastic buttons.
- Cured meat locking arm with easily removable stainless steel bracket.
- Watertight electrical system and engine.

TECHNICAL DATA:

- Blade ø mm 350 - inch 14
- 380 watt engine - 0.52 Hp
- Cutting thickness mm.25
- Trolley stroke 370 mm
- Plate 350x320 mm
- Net weight kg.56