SOLUZIONIFOODSERVICE

BLENDER HAMILTON BEACH TANGO CARAFFA It. 1,4 - MONOFASE 220V 1,8 kW

HAMILTON BEACH TANGO PROFESSIONAL BLENDER











LUZIONIFOODSERVI

Discover the benefits of the product

Good to know: The pulse button is used when you need short bursts of power at the optimum speed. It can be used, for example, for an extra burst of mixing at the end of a mixture to make it creamier...

The barista's Wave Action System is a true game changer. This innovative system repeatedly pushes the contents of the bowl towards the blades. This creates a continuous motion that ensures even and thorough mixing. There is no more manual stirring or shaking - the Wave Action System does the work for you and ensures that all ingredients are perfectly mixed. Reliable sensors check that the lid is closed properly and that the container is positioned correctly. This prevents the appliance from being activated.

No more restrictions on ice cube size: unleash your creativity and enjoy the unlimited possibilities offered by a versatile bar mixer.

No leaks, no spills: A worry-free mixing experience thanks to the triple sealing rings on the lid.

Version

High performance blender Made by Hamilton Beach, USA For professional use in the catering sector Capacity: 1.40 I

2.4 HP high torque traction motor

Patented Wave~Action® system (circulation of ingredients for the best possible emulsion)

Pulse function

Adjustable timer with automatic switch-off

Large filling cap for adding ingredients

Polycarbonate container

Metal transmission joint between engine and tank

High quality stainless steel cutting blades

The containers are not dishwasher safe.

Quality

Polycarbonate container High quality stainless steel knives Connection

Power: 1,800 Watts

Electrical connection: 1N/PE / 230V / 50 Hz - 60 Hz

Dimensions

External dimensions W x D x H: 205mm x 195mm x 400mm Guidelines

The article is marked with the CE mark in accordance with the directives Produced in compliance with hygiene and safety guidelines



SOLUZIONIFOODSERVICE

Material compliant with European food standards

Technical data

keyboard_arrow_up
Dimensions

Width 205 mm Depth 195 mm Height 400 mm Details

Equipment type High performance blender Capacity 1.40 I Speed level(s) 2 Timer function timer with automatic switch-off Connection values

Power 1,800 Watts Voltage 230V Frequency 50Hz - 60Hz Phase(s) 1N/PE Delivery

Shipping Method Package Delivery status Partially assembled Weight 5.60 kg

